





# Lexmark E260 Series

Lexmark E260d

Lexmark E260dn

-  PRINT
-  33 PPM
-  DUPLEX
-  NETWORK



Big benefits  
with a personal touch!



**LEXMARK**

# Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%<sup>1</sup>, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

<sup>1</sup> Source: InfoTrends/CapVentures, "Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service", August, 2008

**If you need a quick and convenient monochrome printer that fits easily on your desktop or within your workspace, then get to know the Lexmark E260. Remarkably small in both size and price, this compact laser is a breeze to operate, and it offers you smart choices, like network-ready and duplex-printing models to reduce costs and paper consumption. Get sharp, professional-looking laser print quality from a printer that's ultra convenient and always close to your needs!**



## A real desktop-friendly device

The Lexmark E260 provides great all-around convenience and a compact design that fits just about anywhere. Add in the fact that it's very quiet and easy on the eyes, and you've got the perfect office partner to spend your day with!

- Quiet; as low as 48 dBA in Quiet Mode
- Sleek new contemporary design
- Compact at just 370 x 406 x 260 mm



## Quality and efficiency unite!

With the Lexmark E260 you can always benefit from professional-looking documents with sharp laser-quality text. And it supports most major operating systems and printer languages, ensuring your documents – even large files – print quickly and reliably.

- True 1200 x 1200 dpi print quality
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- Powerful 400 MHz processor
- PostScript and PCL emulation



## As easy as you need it to be

Set it up, run it and maintain it with ease! The Lexmark E260 is the exceptionally simple solution for hassle-free printing. It lets you spend less time on documents and more time adding value to your business.

- Quick, intuitive set-up and configuration
- User-friendly operator panel
- Simple front-loading toner cartridges
- Easy to connect with USB, Parallel and Fast Ethernet

## Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment! The Lexmark E260 is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing available\*
- Eco-Mode reduces power consumption\*
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Programme for easy recycling

\*Available on Lexmark E260d / dn



## Lexmark's guarantee to you

At Lexmark, we are always working hard to ensure you achieve maximum productivity and minimum downtime. Our E260d includes our service guarantee of One-year Return to Base. For an even greater level of peace of mind, you can opt for one of our enhanced Onsite service offerings. For more information on these offerings, just contact your local dealer or visit us today at [www.lexmark.com/services](http://www.lexmark.com/services).

Small in size, BIG on convenience!



### Easy access

Install and replace toner cartridges in just a matter of seconds thanks to the convenient front-loading design.



### Simple interface

Simplified and intuitive display is all you need to perform routine maintenance tasks or check your print status.



### Duplex printing

Making two-sided printing the standard in your office can help drive down paper waste and reduce costs at the same time.\*

\* Available on Lexmark E260d / dn



### Connect your way

Plug in via USB or Parallel Port, or spread the benefits to multiple users with built-in network\* printing.

\* Available on Lexmark E260dn



Get exactly the performance you need



### Lexmark E260d

Convenient desktop printing for individual users or small workgroups

- Up to 33 ppm print speeds
- Integrated duplex-printing and network models available
- Optional input drawers
- 3.5K toner cartridges available
- Recommended monthly volume: 250 to 2,500 pages

Available models: Lexmark E260, Lexmark E260d, Lexmark E260dn



### Lexmark E360d

Faster, more-versatile printing with duplex printing

- Up to 38 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 3.5K and 9K Lexmark Toner Cartridges available
- Recommended average volume: 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn




### Lexmark E460dn

Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 3.5K, 9K and 15K Lexmark Toner Cartridges available
- Recommended average volume: 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dw\*  
\* Wireless model not available in all countries

<b>Printing</b>	
<b>Print Technology</b>	Monochrome Laser
<b>Print Speed (A4, Black): Up to</b>	33 ppm
<b>Time to First Page (Black)</b>	As fast as 6.5 seconds
<b>Print Resolution, Black</b>	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
<b>Memory, Standard</b>	32 MB
<b>Memory, Maximum</b>	160 MB
<b>Acoustics/Noise level (Operating mode)</b>	53 dBA
<b>Acoustics/Noise level (Idle mode)</b>	inaudible dBA
<b>Maximum Monthly Duty Cycle: Up to</b>	50000 pages per month
<b>Recommended Monthly Page Volume</b>	250 - 2500 pages
<b>Supplies</b>	
<b>Supplies Yield</b> (*Average standard page yield value declared in accordance with ISO/IEC 19752.)	3,500*-page Toner Cartridge
<b>Cartridge(s) Shipping with Product</b>	1,000*-page Starter Return Program Toner Cartridge
<b>Paper Handling</b>	
<b>Paper Handling Standard</b>	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, Single Sheet Manual Feed, 250-Sheet Input Tray
<b>Paper Handling Optional</b>	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer
<b>Paper Input Capacity, Standard</b>	250+1 pages 20 lb or 75 gsm bond
<b>Paper Input Capacity, Maximum</b>	800+1 pages 20 lb or 75 gsm bond
<b>Paper Output Capacity, Standard</b>	150 pages 20 lb or 75 gsm bond
<b>Paper Output Capacity, Maximum</b>	150 pages 20 lb or 75 gsm bond
<b>Media Types Supported</b>	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide
<b>Media Sizes Supported</b>	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C6 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio
<b>Compatibility</b>	
<b>Printer Languages (Standard)</b>	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation
<b>Connectivity (standard)</b>	Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified
<b>Microsoft Windows Operating Systems Supported</b>	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services
<b>Apple Macintosh Operating Systems Supported</b>	Mac OS X, Mac OS 9.x
<b>General</b>	
<b>Product Guarantee</b>	1 Year return to base, 5-7 business days response time
<b>Product Certifications</b>	www.lexmark.com
<b>Size (mm - H x W x D)</b>	260 x 406 x 370 mm
<b>Weight (kg)</b>	13.53 kg
<b>Specified Operating Environment</b>	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F)



Paper Handling Standard	
Paper Handling Optional	
<b>Part #</b>	<b>Model</b>
0034S0112	Lexmark E260d
<b>Part #</b>	<b>Laser Toner/Print Cartridge</b>
0E260A11E	E260, E360, E460 Return Program Toner Cartridge
0E260A21E	E260, E360, E460 Toner Cartridge
0E260X22G	E260, E360, E460 Photoconductor Kit
<b>Part #</b>	<b>Paper &amp; Transparencies</b>
0012A5010	Lexmark Laser Printers - A4 Transparency
<b>Part #</b>	<b>Paper Handling</b>
0034S0550	550-Sheet Drawer
0034S0250	250-Sheet Drawer
<b>Part #</b>	<b>Memory Options</b>
001022298	128MB DDR1-DRAM
0030G0828	Japanese Font Card
0030G0825	Korean Font Card
0030G0826	Simplified Chinese Font Card
0030G0827	Traditional Chinese Font Card
<b>Part #</b>	<b>Connectivity</b>
001021231	Parallel (10') Cable
001021294	USB (2 Meter) Cable
0014T0040	Lexmark N4000e Fast Ethernet Print Server
0014T0155	Lexmark N4050e 802.11g Wireless Print Server
0014T0230	MarkNet™ N7000e Fast Ethernet Print Server - USB
0014T0240	MarkNet™ N7002e Fast Ethernet Print Server - Parallel
0014T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
<b>Part #</b>	<b>Extended Warranties</b>
002350194	E260 2-Years Total Return-to-Base, 5-7 Business Days
002350195	E260 3-Years Total Return-to-Base, 5-7 Business Days
002350196	E260 4-Years Total Return-to-Base, 5-7 Business Days
002350198	E260 1-Year Return-to-Base Renewal, 5-7 Business Days
002350174	E260 2-Years Total Onsite Service, Next Business Day
002350175	E260 3-Years Total Onsite Service, Next Business Day
002350178	E260 1-Year Renewal Onsite Service, Next Business Day
<b>Part #</b>	<b>Installation Service</b>
002350206	E360 Installation

#### In the box

Lexmark E260d Laser Printer, Up to 1,000 pages\* Starter Return Program Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Cartridge Return Program Information

#### Other models available

E260d: Lexmark E260 + integrated duplex  
E260dn: Lexmark E260d + built-in network



#### Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit [www.lexmark.com/recycle](http://www.lexmark.com/recycle)

#### Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printing on recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Return programme cartridges and end-of-life product management help reducing landfill



#### Maximum Monthly Duty Cycle

\*Maximum Monthly Duty Cycle\* is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

#### Recommended Monthly Page Volume

\*Recommended Monthly Page Volume\* is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

#### Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.